

PSYCHLOPS publications

Ashworth M, Shepherd M, Christey J, Matthews V, Wright K, Parmentier H, Robinson S, Godfrey E. A client-centred psychometric instrument: the development of 'PSYCHLOPS' ('Psychological Outcome Profiles'). *Counselling and Psychotherapy Res* 2004;4:27-33.

Ashworth M, Robinson S, Godfrey E, Parmentier H, Shepherd M, Christey J, Wright K, Matthews V. The experiences of therapists using a new client-centred psychometric instrument, 'PSYCHLOPS' ('Psychological Outcome Profiles'). *Counselling and Psychotherapy Res* 2005;5:37-41.

Ashworth M, Robinson S, Godfrey E, Shepherd M, Evans C, Seed P, Parmentier H, Tylee A. Measuring mental health outcomes in primary care: the psychometric properties of a new patient-generated outcome measure, PSYCHLOPS (Psychological Outcome Profiles). *Primary Care Mental Health* 2005;3:261-270.

Schreuders B, van Oppen P, van Marwijk HW, Smit JH, Stalman WA. Frequent attenders in general practice: problem solving treatment provided by nurses. *BMC Family Practice* 2005;6:42.

Ashworth M. PSYCHLOPS: a patient-centred outcome measure. *Progress in Neurology and Psychiatry* 2007;1:37-41.

Robinson S, Ashworth M, Shepherd M, Evans C. In their own words: a narrative-based classification of clients' problems on an idiographic outcome measure for talking therapy in primary care. *Primary Care Mental Health* 2006;4:165-173.

Verhoef MJ, Vanderheyden LC, Dryden T, Mallory D, Ware MA. Evaluating complementary and alternative medicine interventions: in search of appropriate patient-centred outcome measures. *BMC Complement Altern Med* 2006;6:38.

Ashworth M, Robinson S, Evans C, Shepherd M, Conolly A, Rowlands G. What does an idiographic measure (PSYCHLOPS) tell us about the spectrum of psychological issues and scores on a nomothetic measure (CORE-OM)? *Primary Care and Community Psychiatry*, 2007;12:7-16.

Ashworth M. PSYCHLOPS – a psychometric outcome measure that is finding a niche. *Counselling and Psychotherapy Res* 2007;7:201-202.

Bakker IM, Terluin B, van Marwijk HW, van der Windt DA, Rijmen F, van Mechelen W, Stalman WA. A cluster-randomised trial evaluating an intervention for patients with stress-related mental disorders and sick leave in primary care. *PLoS Clin Trials* 2007;6:e26.

Ashworth M, Evans C, Clement S. Measuring psychological outcomes after cognitive behaviour therapy in primary care: a comparison between a new patient-generated measure, 'PSYCHLOPS' (Psychological Outcome Profiles) and 'HADS' (Hospital Anxiety Depression Scale). *Journal of Mental Health* 2008;1-9 iFirst article.

Siriwardena AN, Apekey T, Tilling M, Harrison A, Dyas JV, Middleton HC, Ørner R, Sach T, Dewey M, Qureshi ZM. Effectiveness and cost-effectiveness of an educational intervention for practice teams to deliver problem focused therapy for insomnia: rationale and design of a pilot cluster randomised trial. *BMC Fam Pract.* 2009;10:9.

Evans C, Ashworth M, Peters M. Are problems prevalent and stable in non-clinical populations? Problems and test-retest stability of a patient-generated measure, 'PSYCHLOPS' (Psychological Outcome Profiles), in a non-clinical student sample. *British Journal of Guidance and Counselling*, (in press, May 2010).

In preparation:

Van Marwijk H, Schreuders B, van Oppen P, Terluin B, Stalman W. Problem solving treatment evaluated with a patient generated outcome. Submitted to *Gen Hosp Psych*, 2009.

Books which reference PSYCHLOPS:

Mental Health Outcomes Compendium. London: National Institute for Mental Health in England (NIMHE), 2008.

http://www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH_093316

Papadopoulos L, Cross MC. What do I do if? Questions Commonly Asked by Trainees. In: Bor R & Watts MH. (eds). *The Trainee Handbook; a Guide for Counselling and Psychotherapy Trainees*. London: Sage, 2006.

Mark Ashworth, May 2010